

Retail Food Inspection Report

Floyd County Health Department

Telephone (812) 948-4726

| | | | |
|--|--|--|-------------------------------|
| Establishment Name STARLIGHT COFFEE CO - FLOYDS KNOBS | Telephone Number Est 812-923-1404 Own 502-645-1411 | Date of Inspection 02/01/2022 | ID# |
| Address 101 LAFOLLETTE STATION, FLOYDS KNOBS IN 47119 | | | |
| Owner JIM BOOK | Purpose <input checked="" type="checkbox"/> Routine <input type="checkbox"/> Follow-up <input type="checkbox"/> Complaint <input type="checkbox"/> Pre-Operational <input type="checkbox"/> Temporary <input type="checkbox"/> HACCP <input type="checkbox"/> Other (list) | Follow Up | Released 02/10/2022 |
| Owner's Address 6706 WIESEKA HILL RD FLOYDS KNOBS, IN 47119- | | Menu Type 1 _ 2 <u>X</u> 3 _ 4 _ 5 _ | |
| Person in Charge JULIA PALMER | | | |
| Responsible Person's Email JDGREGORY96@GMAIL.COM | | | |
| Certified Food Handler JULIA PALMER | | | |

CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"
VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE COLUMN MARKED AS "R"

| Section # | C | NC | R | Narrative | To Be Corrected |
|-----------|---|----|---|---|-----------------|
| 218 | | X | | Observed 6 lightbulbs out in back room near 3 comp sink. | 2 weeks |
| 324 | | X | | Observed water under wall on opposite side of water heater and mold growth. Investigate area for leaks. Clean off mold. | 1 week |
| 426 | | X | | Observed leaves and pine needles up against building near back door. | 3 days |
| 431 | | X | | Observed drain near ice machine to be in need of cleaning. Observed area near back door to be in need of cleaning. | 2 days |

Summary of Violations C 0 NC 4 R 0

Received by (name and title printed):

Inspected by (name and title printed):

Thomas Snider CFS

Received by (signature):

Inspected by (signature):

Thomas Snider

cc:

cc:

cc: